

Page: 1/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

1 Identification

· Product identifier

· Trade name: PREMIUM HIGH PERFORMANCE BONDAPLEX LOW LUSTRE

· Product code:

200 (White), 222 (Black), 280 (LT Base), 281 (Dark T), 282 (H&T Acc), 283 (Neutral), 285 (Red Base)

· Recommended use and restriction on use

· Recommended use: Coating material

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Rose Talbert Paint Company

901 Frink Street PO BOX 2658

Cayce-West Columbia, SC 29171

Phone: 803.796.0324 Fax: 803.791.0648

Email: info@rosetalbertpaint.com

Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

- Label elements
- · GHS label elements

Note: If a category 2 carcinogen ingredient is present in the mixture at a concentration between 0.1% and 1%, information is required on the SDS for a product. However, a label warning is optional.

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:

The following pictograms are optional for OSHA GHS labeling; GHS08. Notification is still required on the SDS.





GHS07 GHS08

· Signal word: Warning

· Hazard statements:

The following statements are optional for OSHA GHS labeling: H351. Notification is still required on the SDS.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

(Cont'd. on page 2)



Page: 2/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 1)

· Precautionary statements:

The following statements are optional for OSHA GHS labeling: P201, P202, P308+P313, P405. Notification is still required on the SDS.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist, vapors, or spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

| 1317-65-3 | limestone | 10-30% |
|-------------|--|-------------|
| 1332-58-7 | Kaolin | <5% |
| 1333-86-4 | carbon black | <3% |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol Eye Irrit. 2A, H319 | <2% |
| 107-21-1 | ethylene glycol STOT RE 2, H373 Acute Tox. 4, H302 | <2% |
| 127087-87-0 | Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315 | <1% |
| 330-54-1 | diuron(ISO) ♣ Carc. 2, H351; STOT RE 2, H373 ↑ Acute Tox. 4, H302 | <1% |
| 55965-84-9 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 | 0.002-0.004 |

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

(Cont'd. on page 3)



Page: 3/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 2)

4 First-aid measures

- Description of first aid measures
- After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Most important symptoms and effects, both acute and delayed:

Allergic reactions

Dizziness

Slight irritant effect on skin and mucous membranes.

Slight irritant effect on eyes.

- · Danger: Suspected of causing cancer.
- · Indication of any immediate medical attention and special treatment needed:

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Use personal protective equipment as required.

Ensure adequate ventilation.

- · Environmental precautions Avoid release to the environment.
- · Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 4)



Page: 4/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 3)

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling:

Keep out of reach of children.

Avoid contact with the eves and skin.

Use only in well ventilated areas.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

- Further information about storage conditions: Do not freeze.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

| · Control parameters | | |
|----------------------|---|---------------------|
| · Components | with limit values that require monitoring at the workplace: | |
| 1317-65-3 lime | estone | |
| PEL (USA) | Long-term value: 15* 5** mg/m³ *total dust ** respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | |
| 1332-58-7 Kad | olin | |
| PEL (USA) | Long-term value: 15* 5** mg/m³ *total dust **respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | |
| TLV (USA) | Long-term value: 2* mg/m³ E; as respirable fraction | |
| EL (Canada) | Long-term value: 2 mg/m³ | |
| EV (Canada) | Long-term value: 2(D) mg/m³ respirable | |
| | | (Cont'd. on page 5) |



Page: 5/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

| | (Cont'd. | of pa |
|-----------------|---|-------|
| LMPE (Mexico) | Long-term value: 2* mg/m³ | |
| | A4, *fracción respirable | |
| 1333-86-4 carbo | | |
| PEL (USA) | Long-term value: 3.5 mg/m³ | |
| REL (USA) | Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C | |
| TLV (USA) | Long-term value: 3* mg/m³ *inhalable fraction | |
| EL (Canada) | Long-term value: 3 mg/m³ IARC 2B | |
| EV (Canada) | Long-term value: 3.5 mg/m³ | |
| , , | Long-term value: 3* mg/m³ | |
| | A3, *fracción inhalable | |
| • | utoxyethoxy)ethanol | |
| TLV (USA) | Long-term value: 67.5* mg/m³, 10* ppm | |
| | *Inhalable fraction and vapor | |
| 107-21-1 ethyle | • • | |
| TLV (USA) | Short-term value: NIC-127* NIC-10** mg/m³, NIC-50* ppm Long-term value: NIC-63.5* mg/m³, NIC-25* ppm Ceiling limit value: (100) mg/m³ (H); *inh. fraction + vapor,P:**inh. fraction, H | |
| EL (Canada) | Short-term value: 20** mg/m³ Long-term value: 10** mg/m³ Ceiling limit value: 100* mg/m³, 50*** ppm *Aerosol; **Particulate; ***Vapour | |
| EV (Canada) | Ceiling limit value: 100 mg/m³ | |
| LMPE (Mexico) | Ceiling limit value: 100* mg/m³ A4, *solo aerosol | |
| 330-54-1 diuror | n(ISO) | |
| REL (USA) | Long-term value: 10 mg/m³ | |
| TLV (USA) | Long-term value: 10 mg/m³ | |
| EL (Canada) | Long-term value: 10 mg/m³ | |
| EV (Canada) | Long-term value: 10 mg/m³ | |
| ` , | Long-term value: 10 mg/m³ | |

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Engineering controls: Provide adequate ventilation.

(Cont'd. on page 6)





Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 5)

· Breathing equipment:

Not required under normal conditions of use.

NIOSH or EU approved dust respirator should be used for operations generating dust.

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

| 9 Physical and chemical properties | | |
|--|---|--------------------|
| · Information on basic physical and chemical properties · Appearance: | | |
| Form: | Liquid | |
| Color: | According to product specification | |
| · Odor: | Characteristic | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| Melting point/Melting range: | Not determined. | |
| Boiling point/Boiling range: | Not determined. | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Auto-ignition temperature: | Not determined. | |
| · Decomposition temperature: | Not determined. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Oxidizing properties: | Non-oxidizing. | |
| · Vapor pressure: | Not determined. | |
| Density: | | |
| Relative density: | 1.3-1.4 | |
| | | (Cont'd on page 7) |

(Cont'd. on page 7)



Page: 7/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 6)

Vapor density: Not determined. **Evaporation rate:** Not determined.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not determined. Kinematic: Not determined.

VOC content: 94 q/L

Other information No relevant information available.

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Possible in traces:

Toxic metal compounds Chlorine compounds

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

107-21-1 ethylene glycol

Dermal LD50 9530 mg/kg (rabbit)

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · **Sensitization:** Sensitization possible through skin contact.
- IARC (International Agency for Research on Cancer):

Present in trace quantities: quartz.

| | · · · · · · · · · · · · · · · · · · · | | |
|------------|---------------------------------------|---------------|-------|
| 1333-86-4 | carbon black | | 2B |
| 14808-60-7 | quartz | | 1 |
| | | (Cont'd on na | ne 8) |



Page: 8/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 7)

· NTP (National Toxicology Program):

Present in trace quantities.

14808-60-7 quartz

K

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Suspected of causing cancer.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Avoid release to the environment.
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Cont'd. on page 9)



Page: 9/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 8)

Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

| 14 Transport information | | |
|---|------------------------|--|
| · UN-Number · DOT, ADR, IMDG, IATA | Not regulated. | |
| · UN proper shipping name · DOT, ADR, IMDG, IATA | Not regulated. | |
| Transport hazard class(es) | | |
| · DOT, ADR, IMDG, IATA · Class | Not regulated. | |
| · Packing group · DOT, ADR, IMDG, IATA | Not regulated. | |
| · Environmental hazards · Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | I I of Not applicable. | |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

112-34-5 2-(2-butoxyethoxy)ethanol

107-21-1 ethylene glycol

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

(Cont'd. on page 10)



Page: 10/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 9)

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Reference to Attapulgite is based on unbound respirable particles and is not generally applicable to product as supplied.

Reference to Crystalline Silica and/or Quartz is based on unbound respirable particles and is not generally applicable to product as supplied.

Reference to carbon black is based on unbound respirable particles and is not generally applicable to product as supplied.

| 1333-86-4 | carbon black |
|------------|----------------------------|
| 12174-11-7 | Attapulgite (Palygorskite) |
| 330-54-1 | diuron(ISO) |
| 14808-60-7 | quartz |

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

107-21-1 ethylene glycol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

| 1333-86-4 | carbon black | 2B | |
|---|--------------|----|--|
| 14808-60-7 | quartz | 1 | |
| · NIOSH-Ca (National Institute for Occupational Safety and Health): | | | |
| 1333-86-4 | carbon black | | |
| 14808-60-7 | quartz | | |

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision May 18, 2017 / -
- Abbreviations and acronyms:

LDLo: Lowest Lethal Dose Observed

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Cont'd. on page 11)



Page: 11/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 18, 2017 Revision: May 18, 2017

Trade name: PREMIUM BONDAPLEX LOW LUSTRE

(Cont'd. of page 10)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative

NIOSH: l'Institut national de recherche sur la sécurité et la santé au travail / National Institute for Occupational Safety (États-Unis)

OSHA: Occupational Safety & Health Administration

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com